

AIX-L: Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

## Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

*Source:* <http://unix.derkeiler.com/Mailing-Lists/AIX-L/2003-06/0311.html>

---

*fm\_u\_at\_OERAG.DE*

*Date:* 06/27/03

Date: Fri, 27 Jun 2003 16:24:11 +0200  
To: aix-l@Princeton.EDU

Hi \*,

> 0 = disabled  
> 1 = enabled

that is clear. But I don't understand which is the consequence when I change the option! What means the options exactly? What for a behavior changes this?

Best regards,  
Frank

Volker Gruenewald <Volker.Gruenewald@LINDE-MH.DE>@Princeton.EDU> on  
27.06.2003 15:36:23

Bitte antworten an IBM AIX Discussion List <aix-l@Princeton.EDU>

Gesendet von: IBM AIX Discussion List <aix-l@Princeton.EDU>

An: aix-l@Princeton.EDU  
Kopie:

Thema: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from  
node

Hi frank,

0 = disabled  
1 = enabled

regards

---

Volker Grünewald  
IT Administration

Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

AIX-L: Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

Linde AG, material handling  
Aschaffenburg / Germany  
volker.gruenewald@linde-mh.de  
www.linde.com

---

```
|----->
| | fmu@OERAG.DE |
| | Gesendet von: |
| | IBM AIX |
| | Discussion List |
| | <aix-l@Princeton|
| | .EDU> |
| |
| |
| | 06/27/03 12:25 |
| | PM |
| | Bitte antworten |
| | an IBM AIX |
| | Discussion List |
| |
|----->
>
```

---

```
|
|
| An: aix-l@Princeton.EDU
|
| Kopie:
|
| Thema: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP –
| packets from node |
>
```

---

Hi Christian,

can you explain to me, for what the values are? I don't understand the man  
pages exactly..... ;-(

Best regards,  
Frank

"Sippel, Christian" <Christian.Sippel@IZB.DE>@Princeton.EDU> on 27.06.2003  
08:55:41

Bitte antworten an IBM AIX Discussion List <aix-l@Princeton.EDU>

Gesendet von: IBM AIX Discussion List <aix-l@Princeton.EDU>

Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

AIX-L: Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

An: aix-l@Princeton.EDU

Kopie:

Thema: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

Good morning,

I think it's

/usr/sbin/no -o tcp\_pmtu\_discover=0

/usr/sbin/no -o udp\_pmtu\_discover=0

I would venture to say that you can safely give it a try (and then have a look with iptrace / ipreport for icmp packets)

HTH, Christian

> -----

> Von: fmu@OERAG.DE[SMTP:fmu@OERAG.DE]

> Antwort an: IBM AIX Discussion List

> Gesendet: Donnerstag, 26. Juni 2003 18:41

> An: aix-l@Princeton.EDU

> Betreff: Antwort: AW: Antwort: Re: strange ICMP – packets from node

>

> Hi Christian,

>

> what is this exact for an no option? I don't find this with the command

> 'no

> -a'.

>

> Or is this 'pmtu\_rediscover\_interval' ???

>

> Frank

>

>

>

>

>

> "Sippel, Christian" <Christian.Sippel@IZB.DE>@Princeton.EDU> on

26.06.2003

> 17:50:42

>

> Bitte antworten an IBM AIX Discussion List <aix-l@Princeton.EDU>

>

> Gesendet von: IBM AIX Discussion List <aix-l@Princeton.EDU>

>

>

> An: aix-l@Princeton.EDU

> Kopie:

>

> Thema: AW: Antwort: Re: strange ICMP – packets from node

>

>

Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

AIX-L: Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

> *It might sound strange but I can remember I had a similar problem quite a*  
> *while ago and as far as I can remember I turned off Path-MTU-discovery (a*  
> *kernel network option, the no-command) – Just a thought, and, as I said,*  
> *it*  
> *might sound strange...*  
>  
> *Christian*  
>  
> > -----  
> > *Von: fmu@OERAG.DE[SMTP:fmu@OERAG.DE]*  
> > *Antwort an: IBM AIX Discussion List*  
> > *Gesendet: Donnerstag, 26. Juni 2003 17:40*  
> > *An: aix-l@Princeton.EDU*  
> > *Betreff: Antwort: Re: strange ICMP – packets from node*  
> >  
> > *Hi \**,  
> >  
> > *Tim: no crontabs, no jobs*  
> >  
> > *Bill: no HACMP*  
> >  
> > *Is it possible to trace the IP-traffic and find so the source?*  
> >  
> > *Best regards,*  
> > *Frank*  
> >  
> >  
> >  
> >  
> >  
> > *Bill Verzal <BVerzal@KOMATSUNA.COM>@Princeton.EDU> on 26.06.2003*  
> > *17:29:31*  
> >  
> > *Bitte antworten an IBM AIX Discussion List <aix-l@Princeton.EDU>*  
> >  
> > *Gesendet von: IBM AIX Discussion List <aix-l@Princeton.EDU>*  
> >  
> >  
> > *An: aix-l@Princeton.EDU*  
> > *Kopie:*  
> >  
> > *Thema: Re: strange ICMP – packets from node*  
> >  
> >  
> > *Is this one or more HACMP clusters or an SP?*  
> >  
> > *BV*  
> > -----  
> >  
> > *Bill Verzal*  
> > *AIX Administrator, Komatsu America*

Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

AIX-L: Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

> > (847) 970-3726 – direct  
> > (847) 970-4184 – fax  
> >  
> >  
> > /-----+----->  
> > || *Tim Brumfield* |  
> > || <*BRUMFIT@DFA.STAT*> |  
> > || *E.MS.US*> |  
> > || *Sent by: IBM AIX* |  
> > || *Discussion List* |  
> > || <*aix-l@Princeton.*  
|  
> > |||  
> > |||  
> > || *06/26/2003 10:07* |  
> > || *AM* |  
> > || *Please respond to*|  
> > || *IBM AIX* |  
> > || *Discussion List* |  
> > |||  
> > /-----+----->  
> > >  
> >  
> >  
>

---

> > -----/

> >  
> > |  
> > |  
> > | *To: aix-l@Princeton.EDU*  
> > |  
> > | *cc:*  
> > |  
> > | *Subject: Re: strange ICMP – packets from node*  
> > |  
> > >  
> >  
> >  
>

---

> > -----/

> >  
> >  
> >  
> >  
> > *You may want to look at your crontabs to see if the process is  
scheduled*  
> > *there.*  
> >  
> > >> *fmu@OERAG.DE 6/26/2003 9:10:56 AM* >>>

AIX-L: Antwort: Antwort: AW: Antwort: AW: Antwort: Re: strange ICMP – packets from node

> > *Hi \**,  
> >  
> > *on of our nodes send all 10 minutes ICMP-Packets to an IP-Adress (it*  
> > *shows*  
> > *as a ping to the IP-Adress). We observe this in our network*  
> > *monitoring.*  
> > *But I cannot find anything in my process list. I check the process*  
> > *list*  
> > *every second without success.*  
> >  
> > *What is the way to trace this so that I can find the command or*  
> > *process*  
> > *which start the ping?*  
> >  
> >  
> > *Best regards,*  
> > *Frank Mueller*  
> >  
>

This e-mail may contain confidential and/or privileged information.  
If you are not the intended recipient (or have received this e-mail  
in error) please notify the sender immediately and destroy this e-mail.  
Any unauthorised copying, disclosure or distribution of the material  
in this e-mail is strictly forbidden.  
Any views expressed in this message are those of the individual  
sender, except where the sender specifically states them to be  
the views of Linde Material Handling.

Since January 2002 we use the e-mail domain linde-mh.de instead  
of linde-fh.de.

This mail has been swept for the presence of computerviruses.