

Re: HA/CMP network traffic

Source: <http://unix.derkeiler.com/Mailing-Lists/AIX-L/2004-10/0143.html>

From: AUBINEAU Cyril (*caubineau_at_SIGMA.FR*)

Date: 10/07/04

Date: Thu, 7 Oct 2004 15:25:20 +0200
To: aix-l@Princeton.EDU

Thank you Simon
I know the serial heartbeat is non-ip.

My problem is our network administrator curiosity :-)

Regards,

Cyril

-----Message d'origine-----

De : Green, Simon [mailto:Simon.Green@EU.ALTRIA.COM]

Envoyé : jeudi 7 octobre 2004 15:19

À : aix-l@Princeton.EDU

Objet : Re: HA/CMP network traffic

The serial heartbeat is non-IP.

HACMP will monitor all of the IP networks defined to it, which will involve some heartbeat traffic but that's usually very low.

There will also be a little bit of traffic over the HACMP administrative network. That, too, should be very low but may rise somewhat if there's activity going on. e.g. LVM changes; any HACMP changes or verification.

Are you experiencing a problem, or just curious?

--

Simon Green

Altria ITSC Europe Ltd

AIX-L Archive at <https://new-lists.princeton.edu/listserv/aix-l.html>

New to AIX? <http://publib-b.boulder.ibm.com/redbooks.nsf/portals/UNIX>

N.B. Unsolicited email from vendors will not be appreciated.

Please post all follow-ups to the list.

> -----Original Message-----

> From: IBM AIX Discussion List [mailto:aix-l@Princeton.EDU] On

> Behalf Of AUBINEAU Cyril

> Sent: 07 October 2004 13:28

> To: aix-l@Princeton.EDU

> Subject: HA/CMP network traffic

>

>

Re: HA/CMP network traffic

AIX-L: Re: HA/CMP network traffic

```
> Hello,  
>  
> I can't find any information about HA/CMP network traffic (IP)  
> Does HA/CMP generates some IP traffic , or the serial  
> HeartBeat is only  
> concerned in communication between nodes ?
```