

question about src/etc/Makefile

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/current/2003-09/1727.html>

From: Luc Beurton (luc.beurton_at_univ-ubs.fr)

Date: 09/30/03

Date: Tue, 30 Sep 2003 12:14:24 +0000

To: freebsd-current@freebsd.org

Hi,

I don't understand why boot/device.hints are installed with distribute target instead distribution, in the Makefile:

```
# $FreeBSD: src/etc/Makefile,v 1.313 2003/05/06 07:25:17 dougb Exp $
```

I build FreeBSD-4.8 with a shell script near like this:

```
export DESTDIR=/usr/src/dest/fbsd-48
export KERNCONF=SMP
cd /usr/src && make world
cd /usr/src/etc && make distribution
cd /usr/src && make buildkernel installkernel
```

I'll try to do the same thing with FreeBSD-5.1 but buildkernel fails because make distribution doesn't install boot/device.hints in \$DESTDIR.

/usr/sbin/mergemaster use distribution target too:

```
{ cd ${SOURCEDIR} &&
  case "${DESTDIR}" in
    *) ;;
    *)
      make DESTDIR=${DESTDIR} distrib-dirs
      ;;
  esac
  make DESTDIR=${TEMPROOT} distrib-dirs &&
  make MAKEOBJDIRPREFIX=${TEMPROOT}/usr/obj obj &&
  make MAKEOBJDIRPREFIX=${TEMPROOT}/usr/obj DESTDIR=${TEMPROOT} \
    distrib-; } ||
```

Is-it an error in src/etc/Makefile ?

Or may I have to use distribute target instead distribution ?

Luc.

freebsd-current@freebsd.org mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-current>

To unsubscribe, send any mail to "freebsd-current-unsubscribe@freebsd.org"