

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/current/2005-03/0923.html>

From: Kris Kennaway (kris_at_obsecrity.org)

Date: 03/30/05

Date: Wed, 30 Mar 2005 05:35:36 -0800

To: Jeff Roberson <jroberson@chesapeake.net>

Dual p4 + HTT machine running 6.0 from ~8 hours ago:

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

db> wh

Tracing pid 52191 tid 100177 td 0xc35a7a10

kdb_enter(c06fddb2,c0706586,ebf6ea58,c35a7a10) at kdb_enter+0x30

panic(c0706586,c5aeceb0,c95f0d70,c0706554,c95f0c80,0,800,dc77cbf8,0,0,ebf6ea9c,c0510201,c0705e18,c06fb9c3,c06fb9c3,c06fb9c3) at panic+0x13e

getblk(c95f0c80,0,0,800,0) at getblk+0x6d9

breadn(c95f0c80,0,0,800,0) at breadn+0x9a

bread(c95f0c80,0,0,800,0) at bread+0x4c

ffs_read(ebf6ebf4,c071e6e4,2f3,c071ece8,c95f0c80) at ffs_read+0x25c

VOP_READ_APV(c074a320,ebf6ebf4,c35a7a10,c0707fbc,1f3) at VOP_READ_APV+0x9e

vn_read(c7472900,ebf6ec68,cd14b380,0,c35a7a10) at vn_read+0x1db

dofileread(c35a7a10,c7472900,3,bfbfcf60,400) at dofileread+0xc3

read(c35a7a10,ebf6ed14,3a6,c071aa7c,c35a7a10) at read+0x6c

syscall(2f,2f,bfbf002f,80b8780,bfbfcf60) at syscall+0x2c4

Xint0x80_syscall() at Xint0x80_syscall+0x1f

--- syscall (3, FreeBSD ELF32, read), eip = 0x280f1848, esp = 0xbfbfced4, ebp = 0xbfbfd360 ---

db> show lockedvnodes

Locked vnodes

0xcc6443c0: tag ufs, type VDIR

usecount 2, writecount 0, refcount 4 mountedhere 0

flags ()

v_object 0xc8f44948 ref 0 pages 1

lock type ufs: EXCL (count 1) by thread 0xc79b8000 (pid 52052)

ino 1302139, on dev da0s1e

0xc8cbb000: tag ufs, type VDIR

usecount 2, writecount 0, refcount 5 mountedhere 0

flags ()

v_object 0xc3769ce4 ref 0 pages 1

lock type ufs: EXCL (count 1) by thread 0xc37ad2e0 (pid 51995)

ino 2105664, on dev da0s1e

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

0xc95f0c80: tag ufs, type VREG

usecount 1, writecount 0, refcount 2 mountedhere 0

flags ()

v_object 0xca42d7bc ref 0 pages 1

lock type ufs: EXCL (count 1) by thread 0xc35a7a10 (pid 52191)

ino 2037211, on dev da0s1e

db> show lockedbufs

buf at 0xdc53b770

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdc7cd000, b_blkno = 19571360

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x255454, 0xef9000),(0xc37fa420, 0x255455, 0x7ccfa000),(

[103C M(0xc37fa420, 0x255456, 0x7c7db000),(0xc37fa420, 0x255457, 0x7cfbc000)

buf at 0xdc53f604

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc78f49b0), b_data = 0xc5cf7000, b_blkno = 33514700

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc54aef8

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdca95000, b_blkno = 19947488

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260bfc, 0x61b21000),(0xc37fa420, 0x260bfd, 0x61fc2000)

[103C M),(0xc37fa420, 0x260bfe, 0x62563000),(0xc37fa420, 0x260bff, 0x62a04000)

buf at 0xdc54f054

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc78374b0), b_data = 0xc5328800, b_blkno = 33508740

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc550c24

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc682a0f0), b_data = 0xc8289000, b_blkno = 33509852

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc557e2c

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdcce9000, b_blkno = 22581472

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b121c, 0x4cdc1000),(0xc37fa420, 0x2b121d, 0x48262000)

[103C M),(0xc37fa420, 0x2b121e, 0x4ebe3000),(0xc37fa420, 0x2b121f, 0x39684000)

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

frebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

buf at 0xdc56250c

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcc5a8370), b_data = 0xc46e0000, b_blkno = 33514248

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc572650

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdd1ad000, b_blkno = 22581536

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b1224, 0x41489000),(0xc37fa420, 0x2b1225, 0x3a14a000)

[103C M),(0xc37fa420, 0x2b1226, 0x48d2b000),(0xc37fa420, 0x2b1227, 0x4080c000)

buf at 0xdc57f584

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc6545c30), b_data = 0xc82ad800, b_blkno = 33507484

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc57fc78

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcbeb74b0), b_data = 0xc4f97800, b_blkno = 32451720

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc581c74

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcbf360f0), b_data = 0xc5dd8800, b_blkno = 33514908

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc588a50

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdd5ad000, b_blkno = 19947520

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260c00, 0x62065000),(0xc37fa420, 0x260c01, 0x642e6000)

[103C M),(0xc37fa420, 0x260c02, 0x62247000),(0xc37fa420, 0x260c03, 0x62888000)

buf at 0xdc5948d4

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcc301d70), b_data = 0xc4842000, b_blkno = 33513952

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc59ab90

b_flags = 0x20000000<vmio>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

b_bufobj = (0xcc6444b0), b_data = 0xdd8ed000, b_blkno = 20746524
lockstatus = 2, excl count = 1, excl owner 0xc79b8000
b_npages = 1, pages(OBJ, IDX, PA): (0xc8f44948, 0x0, 0x1cb6000)

buf at 0xdc59cb8c
b_flags = 0x20<cache>
b_error = 0, b_bufsize = 4096, b_bcount = 4096, b_resid = 0
b_bufobj = (0xc7876730), b_data = 0xdd949000, b_blkno = 32432768
lockstatus = 2, excl count = 1, excl owner 0xffffffff
b_npages = 1, pages(OBJ, IDX, PA): (0xc07c7da0, 0x1da4a, 0x2548a000)

buf at 0xdc5a7ac4
b_flags = 0x80010024<b31,malloc,cache,async>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc6fb99b0), b_data = 0xc827f800, b_blkno = 33509308
lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc5afd7c
b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 4096, b_bcount = 4096, b_resid = 0
b_bufobj = (0xc6cd2eb0), b_data = 0xddcb9000, b_blkno = 19995648
lockstatus = 2, excl count = 1, excl owner 0xffffffff
b_npages = 1, pages(OBJ, IDX, PA): (0xc9693c60, 0x0, 0x3ca9a000)

buf at 0xdc5cf4e4
b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xde261000, b_blkno = 22581440
lockstatus = 2, excl count = 1, excl owner 0xffffffff
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b1218, 0x3f0fd000),(0xc37fa420, 0x2b1219, 0x371fe000)
[103C M),(0xc37fa420, 0x2b121a, 0x37edf000),(0xc37fa420, 0x2b121b, 0x39f00000)

buf at 0xdc5d4f48
b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc63c3730), b_data = 0xc6b4e800, b_blkno = 33507784
lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc5d69b4
b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc6c18c30), b_data = 0xc8970000, b_blkno = 34267672
lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc5dc6e0
b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xca3c8230), b_data = 0xc537b000, b_blkno = 33510484
lockstatus = 2, excl count = 1, excl owner 0xffffffff

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

buf at 0xdc5dfbb8

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc9b220f0), b_data = 0xc5dfb800, b_blkno = 33509040

lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc5e78e0

b_flags = 0x24<cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xde6bd000, b_blkno = 33495520

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc07c7da0, 0x1e7be, 0x6b6de000),(0xc07c7da0, 0x1e7bf, 0x2c05f000),

[103C M(0xc07c7da0, 0x1e7c0, 0x20c00000),(0xc07c7da0, 0x1e7c1, 0x57821000)

buf at 0xdc607474

b_flags = 0x20020020<vmio,clusterok,cache>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdec71000, b_blkno = 33496032

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3fe37c, 0x35921000),(0xc37fa420, 0x3fe37d, 0x19362000)

[103C M),(0xc37fa420, 0x3fe37e, 0x39123000),(0xc37fa420, 0x3fe37f, 0x44404000)

buf at 0xdc60aedc

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcc19b4b0), b_data = 0xc8300000, b_blkno = 32397980

lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc60e7e0

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc9dc4230), b_data = 0xc5c78000, b_blkno = 33514500

lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc61e230

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdf08d000, b_blkno = 19947552

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260c04, 0x613e9000),(0xc37fa420, 0x260c05, 0x6164a000)

[103C M),(0xc37fa420, 0x260c06, 0x61f8b000),(0xc37fa420, 0x260c07, 0x64ecc000)

buf at 0xdc623868

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdf185000, b_blkno = 19570816

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x255410, 0x63d15000),(0xc37fa420, 0x255411,

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

0x63ef6000)

[103C M),(0xc37fa420, 0x255412, 0x63e77000),(0xc37fa420, 0x255413, 0x640f8000)

buf at 0xdc629c88

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc616daf0), b_data = 0xc593d800, b_blkno = 33507984

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc641dbc

b_flags = 0x20020020<vmio,clusterok,cache>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdf6f9000, b_blkno = 33496064

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3fe380, 0x54365000),(0xc37fa420, 0x3fe381, 0x57586000)

[103C M),(0xc37fa420, 0x3fe382, 0x79bc7000),(0xc37fa420, 0x3fe383, 0x5d3e8000)

buf at 0xdc646fc8

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc67ed730), b_data = 0xc5dc9000, b_blkno = 33509244

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc648340

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdf81d000, b_blkno = 33496960

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3fe3f0, 0x52995000),(0xc37fa420, 0x3fe3f1, 0x31df6000)

[103C M),(0xc37fa420, 0x3fe3f2, 0x76d7000),(0xc37fa420, 0x3fe3f3, 0x491f8000)

buf at 0xdc64fad8

b_flags = 0x20020020<vmio,clusterok,cache>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xdf975000, b_blkno = 32366944

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3dbc2c, 0x14751000),(0xc37fa420, 0x3dbc2d, 0x33a52000)

[103C M),(0xc37fa420, 0x3dbc2e, 0x13c53000),(0xc37fa420, 0x3dbc2f, 0xb274000)

buf at 0xdc6541c4

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc9c9a230), b_data = 0xc5c17000, b_blkno = 33509904

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6645d0

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

b_bufobj = (0xc37d95f0), b_data = 0xdfd2d000, b_blkno = 21456000
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x28ec90, 0x71295000),(0xc37fa420, 0x28ec91, 0x70a56000)
[103C M),(0xc37fa420, 0x28ec92, 0x70477000),(0xc37fa420, 0x28ec93, 0x6fcf8000)

buf at 0xdc67e9c8
b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xca572d70), b_data = 0xc4369800, b_blkno = 34268996
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc687ff8
b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe0395000, b_blkno = 20703008
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x277ce4, 0x48ea9000),(0xc37fa420, 0x277ce5, 0x47bea000)
[103C M),(0xc37fa420, 0x277ce6, 0x4368b000),(0xc37fa420, 0x277ce7, 0x49a0c000)

buf at 0xdc696dc4
b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe0641000, b_blkno = 19949632
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260d08, 0x64ecd000),(0xc37fa420, 0x260d09, 0x6512e000)
[103C M),(0xc37fa420, 0x260d0a, 0x652af000),(0xc37fa420, 0x260d0b, 0x65070000)

buf at 0xdc6a66b0
b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe090d000, b_blkno = 19195552
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x249cd4, 0x60759000),(0xc37fa420, 0x249cd5, 0x6173a000)
[103C M),(0xc37fa420, 0x249cd6, 0x615fb000),(0xc37fa420, 0x249cd7, 0x62a9c000)

buf at 0xdc6b652c
b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe0be9000, b_blkno = 19947072
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260bc8, 0x6352d000),(0xc37fa420, 0x260bc9, 0x6440e000)
[103C M),(0xc37fa420, 0x260bca, 0x6484f000),(0xc37fa420, 0x260bcb, 0x64710000)

buf at 0xdc6b8ee4
b_flags = 0x80010024<b31,malloc,cache,async>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

frebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

b_bufobj = (0xcc3bb730), b_data = 0xc52df000, b_blkno = 33509292
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6b973c

b_flags = 0x80010024<b31,malloc,cache,async>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc95e9d70), b_data = 0xc5d6b800, b_blkno = 33509868
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6b9ccc

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc8d1b0f0), b_data = 0xc5e96000, b_blkno = 33510376
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6d222c

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc8c0d230), b_data = 0xc5cee800, b_blkno = 33509760
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6d3014

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc8fcd870), b_data = 0xc5c00000, b_blkno = 33507452
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6da380

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc9d445f0), b_data = 0xc8305800, b_blkno = 33514360
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6eebb0

b_flags = 0x80010024<b31,malloc,cache,async>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xcbea8af0), b_data = 0xc5b94000, b_blkno = 32395856
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc6f3dbc

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xcbef8370), b_data = 0xc5c47800, b_blkno = 33509260
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc7025f8

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc6e305f0), b_data = 0xc8971000, b_blkno = 34268948
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

frebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

buf at 0xdc70f100

b_flags = 0x20020020<vmio,clusterok,cache>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xe1bdd000, b_blkno = 33495904

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3fe36c, 0x43331000),(0xc37fa420, 0x3fe36d, 0x3a652000)

[103C M),(0xc37fa420, 0x3fe36e, 0x36793000),(0xc37fa420, 0x3fe36f, 0x369d4000)

buf at 0xdc718e24

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcc97ac30), b_data = 0xc5da9800, b_blkno = 33514112

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc7190ec

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc6af75f0), b_data = 0xe1da9000, b_blkno = 20015356

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 1, pages(OBJ, IDX, PA): (0xc9680630, 0x0, 0x3232000)

buf at 0xdc71f0e0

b_flags = 0x20000000<vmio>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xe1ebd000, b_blkno = 32428640

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3dda4c, 0x25551000),(0xc37fa420, 0x3dda4d, 0x25af2000)

[103C M),(0xc37fa420, 0x3dda4e, 0x33c33000),(0xc37fa420, 0x3dda4f, 0x2b5d4000)

buf at 0xdc72d654

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc4f4dd70), b_data = 0xc74f0800, b_blkno = 33507564

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc73a9b4

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc6c75d70), b_data = 0xc8141800, b_blkno = 33508144

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc73bff4

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc79bc370), b_data = 0xc5f4e800, b_blkno = 32476108

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc73f794

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe2491000, b_blkno = 22581632
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b1230, 0x4a8d5000),(0xc37fa420, 0x2b1231, 0x36556000)
[103C M),(0xc37fa420, 0x2b1232, 0x4b6d7000),(0xc37fa420, 0x2b1233, 0x4c718000)

buf at 0xdc744c68

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe2585000, b_blkno = 22581600
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b122c, 0x3e911000),(0xc37fa420, 0x2b122d, 0x3d4b2000)
[103C M),(0xc37fa420, 0x2b122e, 0x39cb3000),(0xc37fa420, 0x2b122f, 0x3b2f4000)

buf at 0xdc74a6cc

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe2689000, b_blkno = 33495776
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x3fe35c, 0x4bca1000),(0xc37fa420, 0x3fe35d, 0x2c382000)
[103C M),(0xc37fa420, 0x3fe35e, 0x460e3000),(0xc37fa420, 0x3fe35f, 0x1d5c4000)

buf at 0xdc74c6c8

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe26e5000, b_blkno = 22581568
lockstatus = 2, excl count = 1, excl owner 0xffffffffe
b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b1228, 0x48dad000),(0xc37fa420, 0x2b1229, 0x5bdce000)
[103C M),(0xc37fa420, 0x2b122a, 0x3cccf000),(0xc37fa420, 0x2b122b, 0x43fb0000)

buf at 0xdc74e298

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc5fc6c30), b_data = 0xc3886000, b_blkno = 34268692
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc773464

b_flags = 0x10020<malloc,cache>
b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0
b_bufobj = (0xc9910870), b_data = 0xc5cbb000, b_blkno = 33508852
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc773890

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>
b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0
b_bufobj = (0xc37d95f0), b_data = 0xe2ded000, b_blkno = 20703456
lockstatus = 2, excl count = 1, excl owner 0xffffffffe

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x277d1c, 0x42de1000),(0xc37fa420, 0x277d1d, 0x8a82000),

[103C M,(0xc37fa420, 0x277d1e, 0x56f23000),(0xc37fa420, 0x277d1f, 0x3f764000)

buf at 0xdc77424c

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xe2e09000, b_blkno = 19949664

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260d0c, 0x64e11000),(0xc37fa420, 0x260d0d, 0x64e32000)

[103C M),(0xc37fa420, 0x260d0e, 0x64d93000),(0xc37fa420, 0x260d0f, 0x64674000)

buf at 0xdc77abfc

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xca56f870), b_data = 0xc633c800, b_blkno = 33510420

lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc77cbf8

b_flags = 0xa0000020<b31,vmio,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc5aeceb0), b_data = 0xe2f95000, b_blkno = 0

lockstatus = 2, excl count = 1, excl owner 0xc35a7a10

b_npages = 1, pages(OBJ, IDX, PA): (0xc6617ce4, 0x0, 0x43a31000)

buf at 0xdc77df70

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xc9f789b0), b_data = 0xc3e88800, b_blkno = 33507444

lockstatus = 2, excl count = 1, excl owner 0xffffffff

buf at 0xdc782eb4

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xe30b1000, b_blkno = 19949792

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260d1c, 0x61d81000),(0xc37fa420, 0x260d1d, 0x63082000)

[103C M),(0xc37fa420, 0x260d1e, 0x625e3000),(0xc37fa420, 0x260d1f, 0x629c4000)

buf at 0xdc78d9c0

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xe329d000, b_blkno = 22581408

lockstatus = 2, excl count = 1, excl owner 0xffffffff

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x2b1214, 0x48b99000),(0xc37fa420, 0x2b1215, 0x48a9a000)

[103C M),(0xc37fa420, 0x2b1216, 0x496bb000),(0xc37fa420, 0x2b1217, 0x3c4fc000)

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

buf at 0xdc795584

b_flags = 0xa0020024<b31,vmio,clusterok,cache,async>

b_error = 0, b_bufsize = 16384, b_bcount = 16384, b_resid = 0

b_bufobj = (0xc37d95f0), b_data = 0xe3401000, b_blkno = 19950624

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

b_npages = 4, pages(OBJ, IDX, PA): (0xc37fa420, 0x260d84, 0x614a9000),(0xc37fa420, 0x260d85, 0x6284a000)

[103C M),(0xc37fa420, 0x260d86, 0x624cb000),(0xc37fa420, 0x260d87, 0x67aac000)

buf at 0xdc79a790

b_flags = 0x20000220<vmio,done,cache>

b_error = 0, b_bufsize = 4096, b_bcount = 4096, b_resid = 0

b_bufobj = (0xc8cbb0f0), b_data = 0xe34ed000, b_blkno = 33580000

lockstatus = 2, excl count = 1, excl owner 0xc37ad2e0

b_npages = 1, pages(OBJ, IDX, PA): (0xc3769ce4, 0x0, 0x65bf5000)

buf at 0xdc7a4a44

b_flags = 0x80010024<b31,malloc,cache,async>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xca50aeb0), b_data = 0xc4d2e800, b_blkno = 32385368

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

buf at 0xdc7a4fd4

b_flags = 0x10020<malloc,cache>

b_error = 0, b_bufsize = 2048, b_bcount = 2048, b_resid = 0

b_bufobj = (0xcc362af0), b_data = 0xc5341000, b_blkno = 32476316

lockstatus = 2, excl count = 1, excl owner 0xffffffffe

db> show ktr

772: cpu2 getblk(0xc95f0c80, 0, 2048) = 0xdc77cbf8

771: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114

770: cpu2 bremfree(0xdc77cbf8) vp 0xc5aeedc0 flags 20000020

769: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097

768: cpu2 acquire(): lkp == 0xdc77cc58, extflags == 0x120, wanted == 0x1050000

767: cpu3 lockmgr(): lkp == 0xc5aeed20 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern [103C Mn/vfs_default.c:275

766: cpu2 UNLOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:490

765: cpu2 LOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:459

764: cpu3 lockmgr(): lkp == 0xdc77cc58 (lk_wmesg == "getblk"), flags == 0x6, td == 0xc60fb730 ../../s [103C Msys/buf.h:312

763: cpu3 UNLOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:314

762: cpu3 LOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:309

761: cpu3 UNLOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:358

760: cpu3 LOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:351

759: cpu3 UNLOCK (sleep mutex) buf queue lock r = 0 at ../../kern/vfs_bio.c:1458

758: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:1441

757: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:1439

756: cpu3 LOCK (sleep mutex) buf queue lock r = 0 at ../../kern/vfs_bio.c:1423

755: cpu3 bqrelse(0xdc77cbf8) vp 0xc5aeedc0 flags 20000020

754: cpu3 getblk(0xc5aeedc0, 0, 2048) = 0xdc77cbf8

753: cpu3 UNLOCK (spin mutex) smp rendezvous r = 0 at ../../i386/i386/pmap.c:633

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

--More-- db> set \$lines=0

db> show ktr

772: cpu2 getblk(0xc95f0c80, 0, 2048) = 0xdc77cbf8
771: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114
770: cpu2 bremfree(0xdc77cbf8) vp 0xc5aeedc0 flags 20000020
769: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097
768: cpu2 acquire(): lkp == 0xdc77cc58, extflags == 0x120, wanted == 0x1050000
767: cpu3 lockmgr(): lkp == 0xc5aeceb0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
766: cpu2 UNLOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:490
765: cpu2 LOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:459
764: cpu3 lockmgr(): lkp == 0xdc77cc58 (lk_wmesg == "getblk"), flags == 0x6, td == 0xc60fb730 ../../s
[103C Msys/buf.h:312
763: cpu3 UNLOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:314
762: cpu3 LOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:309
761: cpu3 UNLOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:358
760: cpu3 LOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:351
759: cpu3 UNLOCK (sleep mutex) buf queue lock r = 0 at ../../kern/vfs_bio.c:1458
758: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:1441
757: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:1439
756: cpu3 LOCK (sleep mutex) buf queue lock r = 0 at ../../kern/vfs_bio.c:1423
755: cpu3 bqrelse(0xdc77cbf8) vp 0xc5aeedc0 flags 20000020
754: cpu3 getblk(0xc5aeedc0, 0, 2048) = 0xdc77cbf8
753: cpu3 UNLOCK (spin mutex) smp rendezvous r = 0 at ../../i386/i386/pmap.c:633
752: cpu3 LOCK (spin mutex) smp rendezvous r = 0 at ../../i386/i386/pmap.c:609
751: cpu3 UNLOCK (sleep mutex) vm object r = 0 at ../../kern/vfs_bio.c:2884
750: cpu3 UNLOCK (sleep mutex) vm page queue mutex r = 0 at ../../kern/vfs_bio.c:2842
749: cpu3 LOCK (sleep mutex) vm page queue mutex r = 0 at ../../kern/vfs_bio.c:2827
748: cpu2 UNLOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:490
747: cpu3 LOCK (sleep mutex) vm object r = 0 at ../../kern/vfs_bio.c:2786
746: cpu2 LOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:459
745: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:2538
744: cpu3 bgetvp(0xdc77cbf8) vp 0xc5aeedc0 flags 0
743: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:2522
742: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1392
741: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1379
740: cpu3 brelyp(0xdc77cbf8) vp 0xc95f0c80 flags 20020
739: cpu3 UNLOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:314
738: cpu3 LOCK (sleep mutex) needsbuffer lock r = 0 at ../../kern/vfs_bio.c:309
737: cpu3 UNLOCK (spin mutex) smp rendezvous r = 0 at ../../i386/i386/pmap.c:633
736: cpu3 LOCK (spin mutex) smp rendezvous r = 0 at ../../i386/i386/pmap.c:609
735: cpu3 UNLOCK (sleep mutex) vm object r = 0 at ../../kern/vfs_bio.c:1520
734: cpu3 UNLOCK (sleep mutex) vm page queue mutex r = 0 at ../../kern/vfs_bio.c:1519
733: cpu3 LOCK (sleep mutex) vm page queue mutex r = 0 at ../../kern/vfs_bio.c:1485
732: cpu3 LOCK (sleep mutex) vm object r = 0 at ../../kern/vfs_bio.c:1484
731: cpu2 UNLOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:490
730: cpu3 UNLOCK (sleep mutex) buf queue lock r = 0 at ../../kern/vfs_bio.c:1803
729: cpu2 LOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:459
728: cpu3 bremfree(0xdc77cbf8) vp 0xc95f0c80 flags 20020020
727: cpu2 acquire(): lkp == 0xdc77cc58, extflags == 0x120, wanted == 0x60000
726: cpu3 getnewbuf(0xdc77cbf8) vp 0xc95f0c80 flags 20020020 kvasize 16384 bufsize 2048 queue 1

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

(recycli

[103C Ming)

725: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:1783
724: cpu2 UNLOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:490
723: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:1777
722: cpu2 _mtx_unlock_sleep: 0xc95f0d20 no sleepers
721: cpu2 _mtx_unlock_sleep: 0xc95f0d20 contested
720: cpu2 LOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:459
719: cpu3 UNLOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:490
718: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
717: cpu3 LOCK (spin mutex) turnstile chain r = 0 at ../../kern/subr_turnstile.c:459
716: cpu2 lockmgr(): lkp == 0xdc77cc58 (lk_wmesg == "getblk"), flags == 0x202122, td == 0xc35a7a10 ..
[103C M../sys/buf.h:297
715: cpu3 _mtx_lock_sleep: vnode interlock contested (lock=0xc35a7a10) at ../../kern/vfs_bio.c:1777
714: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:2363
713: cpu3 acquire(): lkp == 0xdc77cc58, extflags == 0x10, wanted == 0x1050000
712: cpu2 getblk(0xc95f0c80, 0, 2048)
711: cpu3 acquire(): lkp == 0xdc77cc58, extflags == 0x10, wanted == 0x60000
710: cpu2 breadn(0xc95f0c80, 8796093022208, 0)
709: cpu3 lockmgr(): lkp == 0xdc77cc58 (lk_wmesg == "bufwait"), flags == 0x200012, td == 0xc60fb730 ..
[103C M../sys/buf.h:276
708: cpu3 LOCK (sleep mutex) buf queue lock r = 0 at ../../kern/vfs_bio.c:1699
707: cpu2 acquire(): lkp == 0xc95f0ce0, extflags == 0xc0, wanted == 0x1050000
706: cpu2 acquire(): lkp == 0xc95f0ce0, extflags == 0xc0, wanted == 0x60000
705: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
704: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:2482
703: cpu2 lockmgr(): lkp == 0xc95f0ce0 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_vnops.c:499
702: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_bio.c:2363
701: cpu3 getblk(0xc5aeedc0, 0, 2048)
700: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_vnops.c:800
699: cpu3 breadn(0xc5aeedc0, 8796093022208, 0)
698: cpu2 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1969
697: cpu2 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1969
696: cpu3 acquire(): lkp == 0xc5aeed20, extflags == 0xc0, wanted == 0x1050000
695: cpu2 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:1968
694: cpu3 acquire(): lkp == 0xc5aeed20, extflags == 0xc0, wanted == 0x60000
693: cpu2 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:1968
692: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
691: cpu3 lockmgr(): lkp == 0xc5aeed20 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_syscalls.c:3675
690: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_vnops.c:800
689: cpu2 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1947
688: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3858
687: cpu2 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1947
686: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3858
685: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:3855
684: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:3855
683: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3847
682: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3847
681: cpu2 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

680: cpu2 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097
679: cpu2 lockmgr(): lkp == 0xc95f0ce0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
678: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
677: cpu2 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1051
676: cpu2 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1051
675: cpu3 lockmgr(): lkp == 0xc5af2060 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
674: cpu2 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:1050
673: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
672: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
671: cpu2 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:1028
670: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
669: cpu2 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1027
668: cpu2 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1027
667: cpu3 acquire(): lkp == 0xc5af2060, extflags == 0xc0, wanted == 0x1050000
666: cpu3 acquire(): lkp == 0xc5af2060, extflags == 0xc0, wanted == 0x60000
665: cpu2 UNLOCK (sleep mutex) vm object r = 0 at ../../vm/vnode_pager.c:119
664: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
663: cpu2 LOCK (sleep mutex) vm object r = 0 at ../../vm/vnode_pager.c:117
662: cpu3 lockmgr(): lkp == 0xc5af2060 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_subr.c:1885
661: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
660: cpu2 UNLOCK (sleep mutex) cdev r = 0 at ../../kern/kern_conf.c:67
659: cpu2 LOCK (sleep mutex) cdev r = 0 at ../../kern/kern_conf.c:60
658: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:712
657: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:709
656: cpu2 UNLOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:2283
655: cpu3 lockmgr(): lkp == 0xc5aece20 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
654: cpu2 UNLOCK (sleep mutex) NAMEI r = 0 at ../../vm/uma_core.c:2281
653: cpu2 LOCK (sleep mutex) NAMEI r = 0 at ../../vm/uma_core.c:2276
652: cpu3 acquire(): lkp == 0xc5aece20, extflags == 0xc0, wanted == 0x1050000
651: cpu3 acquire(): lkp == 0xc5aece20, extflags == 0xc0, wanted == 0x60000
650: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
649: cpu2 LOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:2258
648: cpu3 lockmgr(): lkp == 0xc5aece20 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_syscalls.c:678
647: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_vnops.c:800
646: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
645: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114
644: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097
643: cpu2 lockmgr(): lkp == 0xc8bb5420 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
642: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1823
641: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
640: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1821
639: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
638: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3858
637: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
636: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3858

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

635: cpu2 acquire(): lkp == 0xc8bb5420, extflags == 0xc0, wanted == 0x1050000
634: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:3855
633: cpu2 acquire(): lkp == 0xc8bb5420, extflags == 0xc0, wanted == 0x60000
632: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:3855
631: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
630: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3847
629: cpu2 lockmgr(): lkp == 0xc8bb5420 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1885
628: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3847
627: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
626: cpu2 lockmgr(): lkp == 0xc8bb5420 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
625: cpu2 acquire(): lkp == 0xc95f0ce0, extflags == 0xc0, wanted == 0x1050000
624: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114
623: cpu2 acquire(): lkp == 0xc95f0ce0, extflags == 0xc0, wanted == 0x60000
622: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097
621: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
620: cpu3 lockmgr(): lkp == 0xc5aece20 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
619: cpu2 lockmgr(): lkp == 0xc95f0ce0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
618: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
617: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
616: cpu3 acquire(): lkp == 0xc5aece20, extflags == 0xc0, wanted == 0x1050000
615: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
614: cpu3 acquire(): lkp == 0xc5aece20, extflags == 0xc0, wanted == 0x60000
613: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
612: cpu3 lockmgr(): lkp == 0xc5aece20 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_vnops.c:590
611: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
610: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_vnops.c:800
609: cpu2 lockmgr(): lkp == 0xc78766a0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
608: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1969
607: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
606: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1969
605: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
604: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:1968
603: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
602: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:1968
601: cpu2 acquire(): lkp == 0xc78766a0, extflags == 0xc0, wanted == 0x1050000
600: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1947
599: cpu2 acquire(): lkp == 0xc78766a0, extflags == 0xc0, wanted == 0x60000
598: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1947
597: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
596: cpu2 lockmgr(): lkp == 0xc78766a0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1885
595: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
594: cpu2 lockmgr(): lkp == 0xc78766a0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
593: cpu3 UNLOCK (sleep mutex) Giant r = 0 at ../../i386/i386/trap.c:988

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

592: cpu2 acquire(): lkp == 0xc8bb5420, extflags == 0xc0, wanted == 0x1050000
591: cpu2 acquire(): lkp == 0xc8bb5420, extflags == 0xc0, wanted == 0x60000
590: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
589: cpu3 _mtx_unlock_sleep: 0xc076c680 unrecurse
588: cpu2 lockmgr(): lkp == 0xc8bb5420 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
587: cpu3 UNLOCK (sleep mutex) Giant r = 1 at ../../kern/vfs_syscalls.c:335
586: cpu3 UNLOCK (sleep mutex) FFS r = 0 at ../../ufs/ffs/ffs_vfsops.c:1047
585: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
584: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
583: cpu3 LOCK (sleep mutex) FFS r = 0 at ../../ufs/ffs/ffs_vfsops.c:1040
582: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
581: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114
580: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097
579: cpu3 LOCK (sleep mutex) Giant r = 1 at ../../kern/vfs_syscalls.c:313
578: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
577: cpu3 _mtx_lock_sleep: 0xc076c680 recursing
576: cpu2 lockmgr(): lkp == 0xcc362a60 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
575: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3858
574: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3858
573: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
572: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:3855
571: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
570: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:3855
569: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
568: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3847
567: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:3847
566: cpu2 acquire(): lkp == 0xcc362a60, extflags == 0xc0, wanted == 0x1050000
565: cpu3 LOCK (sleep mutex) Giant r = 0 at ../../i386/i386/trap.c:941
564: cpu2 acquire(): lkp == 0xcc362a60, extflags == 0xc0, wanted == 0x60000
563: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
562: cpu2 lockmgr(): lkp == 0xcc362a60 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1885
561: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
560: cpu2 lockmgr(): lkp == 0xcc362a60 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
559: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:413
558: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:413
557: cpu2 acquire(): lkp == 0xc78766a0, extflags == 0xc0, wanted == 0x1050000
556: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:378
555: cpu2 acquire(): lkp == 0xc78766a0, extflags == 0xc0, wanted == 0x60000
554: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:378
553: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
552: cpu2 lockmgr(): lkp == 0xc78766a0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
551: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
550: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
549: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
548: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114
547: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

546: cpu3 lockmgr(): lkp == 0xc5aeceb0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
545: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
544: cpu2 lockmgr(): lkp == 0xc79bc2e0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
543: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
542: cpu3 acquire(): lkp == 0xc5aeceb0, extflags == 0xc0, wanted == 0x1050000
541: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
540: cpu3 acquire(): lkp == 0xc5aeceb0, extflags == 0xc0, wanted == 0x60000
539: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
538: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
537: cpu2 acquire(): lkp == 0xc79bc2e0, extflags == 0xc0, wanted == 0x1050000
536: cpu3 lockmgr(): lkp == 0xc5aeceb0 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_vnops.c:590
535: cpu2 acquire(): lkp == 0xc79bc2e0, extflags == 0xc0, wanted == 0x60000
534: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_vnops.c:800
533: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
532: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1969
531: cpu2 lockmgr(): lkp == 0xc79bc2e0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1885
530: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1969
529: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
528: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:1968
527: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:1968
526: cpu2 lockmgr(): lkp == 0xc79bc2e0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
525: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1947
524: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/kern_descrip.c:1947
523: cpu2 acquire(): lkp == 0xcc362a60, extflags == 0xc0, wanted == 0x1050000
522: cpu2 acquire(): lkp == 0xcc362a60, extflags == 0xc0, wanted == 0x60000
521: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
520: cpu2 lockmgr(): lkp == 0xcc362a60 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
519: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2114
518: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
517: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/kern_descrip.c:2097
516: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
515: cpu3 lockmgr(): lkp == 0xc5aeceb0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
514: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
513: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1051
512: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1051
511: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:1050
510: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
509: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at ../../kern/vfs_syscalls.c:1028
508: cpu2 lockmgr(): lkp == 0xcbeb7420 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
507: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1027
506: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
505: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at ../../kern/vfs_syscalls.c:1027
504: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

503: cpu3 UNLOCK (sleep mutex) vm object r = 0 at ../../vm/vnode_pager.c:119
502: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
501: cpu3 LOCK (sleep mutex) vm object r = 0 at ../../vm/vnode_pager.c:117
500: cpu2 acquire(): lkp == 0xcbeb7420, extflags == 0xc0, wanted == 0x1050000
499: cpu2 acquire(): lkp == 0xcbeb7420, extflags == 0xc0, wanted == 0x60000
498: cpu3 UNLOCK (sleep mutex) cdev r = 0 at ../../kern/kern_conf.c:67
497: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
496: cpu3 LOCK (sleep mutex) cdev r = 0 at ../../kern/kern_conf.c:60
495: cpu2 lockmgr(): lkp == 0xcbeb7420 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1885
494: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
493: cpu3 UNLOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:2283
492: cpu3 UNLOCK (sleep mutex) NAMEI r = 0 at ../../vm/uma_core.c:2281
491: cpu2 lockmgr(): lkp == 0xcbeb7420 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
490: cpu3 LOCK (sleep mutex) NAMEI r = 0 at ../../vm/uma_core.c:2276
489: cpu3 LOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:2258
488: cpu2 acquire(): lkp == 0xc79bc2e0, extflags == 0xc0, wanted == 0x1050000
487: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1869
486: cpu2 acquire(): lkp == 0xc79bc2e0, extflags == 0xc0, wanted == 0x60000
485: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
484: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
483: cpu2 lockmgr(): lkp == 0xc79bc2e0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
482: cpu3 lockmgr(): lkp == 0xc5af2060 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
481: cpu3 acquire(): lkp == 0xc5aeceb0, extflags == 0xc0, wanted == 0x1050000
480: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
479: cpu3 acquire(): lkp == 0xc5aeceb0, extflags == 0xc0, wanted == 0x60000
478: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
477: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
476: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
475: cpu3 lockmgr(): lkp == 0xc5aeceb0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_subr.c:1786
474: cpu3 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
473: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
472: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1895
471: cpu2 lockmgr(): lkp == 0xc6ae9e20 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
470: cpu3 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
469: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
468: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
467: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1886
466: cpu3 acquire(): lkp == 0xc5af2060, extflags == 0xc0, wanted == 0x1050000
465: cpu2 acquire(): lkp == 0xc6ae9e20, extflags == 0xc0, wanted == 0x1050000
464: cpu3 acquire(): lkp == 0xc5af2060, extflags == 0xc0, wanted == 0x60000
463: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
462: cpu2 acquire(): lkp == 0xc6ae9e20, extflags == 0xc0, wanted == 0x60000
461: cpu3 lockmgr(): lkp == 0xc5af2060 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc60fb730 ../../k
[103C Mkern/vfs_lookup.c:376
460: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

459: cpu2 lockmgr(): lkp == 0xc6ae9e20 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 .././k
[103C Mkern/vfs_subr.c:1885
458: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_vnops.c:800
457: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:1860
456: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at .././kern/vfs_lookup.c:172
455: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at .././kern/vfs_lookup.c:172
454: cpu2 lockmgr(): lkp == 0xc6ae9e20 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 .././kern
[103C Mn/vfs_default.c:275
453: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:1823
452: cpu2 acquire(): lkp == 0xcbeb7420, extflags == 0xc0, wanted == 0x1050000
451: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:1821
450: cpu2 acquire(): lkp == 0xcbeb7420, extflags == 0xc0, wanted == 0x60000
449: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at .././kern/kern_lock.c:242
448: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at .././kern/vfs_lookup.c:165
447: cpu2 lockmgr(): lkp == 0xcbeb7420 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 .././k
[103C Mkern/vfs_subr.c:1786
446: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at .././kern/vfs_lookup.c:165
445: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at .././kern/vfs_cache.c:448
444: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_cache.c:447
443: cpu3 UNLOCK (sleep mutex) UMA pcpu r = 0 at .././vm/uma_core.c:1853
442: cpu3 UNLOCK (sleep mutex) NAMEI r = 0 at .././vm/uma_core.c:1851
441: cpu2 LOCK (sleep mutex) Name Cache r = 0 at .././kern/vfs_cache.c:351
440: cpu3 LOCK (sleep mutex) NAMEI r = 0 at .././vm/uma_core.c:1849
439: cpu3 LOCK (sleep mutex) UMA pcpu r = 0 at .././vm/uma_core.c:1832
438: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:1895
437: cpu2 lockmgr(): lkp == 0xc3f2aba0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 .././kern
[103C Mn/vfs_default.c:275
436: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at .././kern/kern_descrip.c:1363
435: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:2007
434: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at .././kern/kern_descrip.c:1363
433: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:2005
432: cpu3 UNLOCK (sleep mutex) process lock r = 0 at .././kern/kern_descrip.c:1243
431: cpu3 LOCK (sleep mutex) process lock r = 0 at .././kern/kern_descrip.c:1241
430: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:1886
429: cpu3 XUNLOCK (sx) filelist lock r = 0 at .././kern/kern_descrip.c:1354
428: cpu2 acquire(): lkp == 0xc3f2aba0, extflags == 0xc0, wanted == 0x1050000
427: cpu3 UNLOCK (sleep mutex) filedesc structure r = 0 at .././kern/kern_descrip.c:1348
426: cpu2 acquire(): lkp == 0xc3f2aba0, extflags == 0xc0, wanted == 0x60000
425: cpu3 LOCK (sleep mutex) filedesc structure r = 0 at .././kern/kern_descrip.c:1348
424: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at .././kern/kern_lock.c:242
423: cpu2 lockmgr(): lkp == 0xc3f2aba0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 .././k
[103C Mkern/vfs_subr.c:1885
422: cpu3 UNLOCK (sleep mutex) sleep mtxpool r = 0 at .././kern/kern_prot.c:1747
421: cpu3 LOCK (sleep mutex) sleep mtxpool r = 0 at .././kern/kern_prot.c:1745
420: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at .././kern/vfs_subr.c:1860
419: cpu2 lockmgr(): lkp == 0xc3f2aba0 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 .././kern
[103C Mn/vfs_default.c:275
418: cpu3 XLOCK (sx) filelist lock r = 0 at .././kern/kern_descrip.c:1322
417: cpu2 acquire(): lkp == 0xc6ae9e20, extflags == 0xc0, wanted == 0x1050000
416: cpu3 UNLOCK (sleep mutex) UMA pcpu r = 0 at .././vm/uma_core.c:1853
415: cpu2 acquire(): lkp == 0xc6ae9e20, extflags == 0xc0, wanted == 0x60000

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

freebsd-current: panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70

414: cpu3 UNLOCK (sleep mutex) Files r = 0 at ../../vm/uma_core.c:1851
413: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
412: cpu2 lockmgr(): lkp == 0xc6ae9e20 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
411: cpu3 LOCK (sleep mutex) Files r = 0 at ../../vm/uma_core.c:1849
410: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
409: cpu3 LOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:1832
408: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
407: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
406: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1869
405: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1947
404: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
403: cpu3 lockmgr(): lkp == 0xc5aece20 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
402: cpu2 lockmgr(): lkp == 0xc3c57a60 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc35a7a10 ../../kern
[103C Mn/vfs_default.c:275
401: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2007
400: cpu2 acquire(): lkp == 0xc3f2aba0, extflags == 0xc0, wanted == 0x1050000
399: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:2005
398: cpu2 acquire(): lkp == 0xc3f2aba0, extflags == 0xc0, wanted == 0x60000
397: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
396: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1912
395: cpu2 lockmgr(): lkp == 0xc3f2aba0 (lk_wmesg == "ufs"), flags == 0x2082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_subr.c:1786
394: cpu2 UNLOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:448
393: cpu3 UNLOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:2283
392: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_cache.c:447
391: cpu3 UNLOCK (sleep mutex) NAMEI r = 0 at ../../vm/uma_core.c:2281
390: cpu3 LOCK (sleep mutex) NAMEI r = 0 at ../../vm/uma_core.c:2276
389: cpu2 LOCK (sleep mutex) Name Cache r = 0 at ../../kern/vfs_cache.c:351
388: cpu3 LOCK (sleep mutex) UMA pcpu r = 0 at ../../vm/uma_core.c:2258
387: cpu2 acquire(): lkp == 0xc3c57a60, extflags == 0xc0, wanted == 0x1050000
386: cpu3 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1869
385: cpu2 acquire(): lkp == 0xc3c57a60, extflags == 0xc0, wanted == 0x60000
384: cpu3 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_subr.c:1860
383: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/kern_lock.c:242
382: cpu3 lockmgr(): lkp == 0xc5af2060 (lk_wmesg == "ufs"), flags == 0x6, td == 0xc60fb730 ../../kern
[103C Mn/vfs_default.c:275
381: cpu2 lockmgr(): lkp == 0xc3c57a60 (lk_wmesg == "ufs"), flags == 0x3082, td == 0xc35a7a10 ../../k
[103C Mkern/vfs_lookup.c:376
380: cpu2 LOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_vnops.c:800
379: cpu3 acquire(): lkp == 0xc5aece20, extflags == 0xc0, wanted == 0x1050000
378: cpu3 acquire(): lkp == 0xc5aece20, extflags == 0xc0, wanted == 0x60000
377: cpu2 UNLOCK (sleep mutex) vnode interlock r = 0 at ../../kern/vfs_su

panic: wrong b_bufobj 0xc5aeceb0 should be 0xc95f0d70