

# gstat going negative?

---

*Source:* <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/hackers/2006-05/msg00342.html>

---

- *From:* David Gilbert <[dgilbert@xxxxxxx](mailto:dgilbert@xxxxxxx)>
  - *Date:* Tue, 30 May 2006 11:04:35 -0400
- 

I've large array that winds up providing 1TB of disk (according to `df -h` :) to a bunch of nfs users. On the array machine, I'm using `gmirror` and `gconcat` to build the array and right now I'm running `dump` on the array.

I've got a `gstat` running and one curious thing is that `gstat` keeps reporting  $2^{32}-1$  as the value for `l(Q)` (obviously, spelt out in numbers) ... as if `l(Q)` is actually coming back as `-1`.

Odd?

Dave.

--

=====  
David Gilbert, Independent Contractor.	Two things can be
Mail: [dave@xxxxxxx](mailto:dave@xxxxxxx)	equal if and only if they
<http://daveg.ca>	are precisely opposite.
=====

-----GLO-----

---

freebsd-hackers@xxxxxxxxxxx mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-hackers>

To unsubscribe, send any mail to "freebsd-hackers-unsubscribe@xxxxxxxxxxx"