

freebsd-isp: RE: pkg\_add help

## RE: pkg\_add help

**Source:** <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/isp/2003-07/0132.html>

---

**From:** Derrick Ryalls ([ryallsd\\_at\\_datasphereweb.com](mailto:ryallsd_at_datasphereweb.com))

**Date:** 07/28/03

To: "'marlon corleone'" <[mmp6107625@yahoo.com](mailto:mmp6107625@yahoo.com)>, <[freebsd-isp@freebsd.org](mailto:freebsd-isp@freebsd.org)>, <[freebsd-questions@freebsd.org](mailto:freebsd-questions@freebsd.org)>  
Date: Sun, 27 Jul 2003 15:30:13 -0700

>  
> *should it be in the ports directory when running*  
> *pkg\_add? like usr/ports/security/package*  
>  
> *say the package is in the security category*  
>  
> *or its ok to run in in my home directory or should it*  
> *be in ports directory?*  
>

pkg\_add can be run from anywhere, and the file.tgz can reside anywhere.  
I usually just fetch the package to my home dir then su and pkg\_add it.

---

freebsd-isp@freebsd.org mailing list  
<http://lists.freebsd.org/mailman/listinfo/freebsd-isp>

To unsubscribe, send any mail to "[freebsd-isp-unsubscribe@freebsd.org](mailto:freebsd-isp-unsubscribe@freebsd.org)"