

## Re: mysql

**Source:** <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/isp/2004-09/0088.html>

---

**From:** James Housley ([jim\\_at\\_Thehousleys.net](mailto:jim_at_Thehousleys.net))

**Date:** 09/28/04

Date: Tue, 28 Sep 2004 17:12:00 -0400

To: [freebsd-isp@freebsd.org](mailto:freebsd-isp@freebsd.org)

Erik @ Microcontroller.nl wrote:

> *On Tue, 2004-09-28 at 16:26, Mustafa N. Deeb wrote:*

>

>

>>*what is your configuration ?*

>

>

>

> *I put:*

> *[mysqld]*

> *query\_cache\_type = ON*

> *query\_cache\_size = 10M*

>

> *in /usr/local/etc/my.cnf*

>

> *I read that doing `mysqld --help` will give me all parameters,. but how do*

> *we do that on a freebsd install where I use `mysqld_safe`?*

>

Have you optimized the queries? Specifically read the section on optimizing in the documentation. Use "EXPLAIN" to make sure that these big queries are actually using the indexes you think they are.

Jim

--

/"\ ASCII Ribbon Campaign .

\ / - NO HTML/RTF in e-mail .

X - NO Word docs in e-mail .

/ \ -----

[jeh@FreeBSD.org](mailto:jeh@FreeBSD.org) <http://www.FreeBSD.org> The Power to Serve

[jim@TheHousleys.Net](mailto:jim@TheHousleys.Net) <http://www.TheHousleys.net>

-----  
A Microsoft Certified Systems Engineer is to computing what  
a McDonalds Certified Food Specialist is to fine cuisine.

-- Jack O'Neill

---

freebsd-isp: Re: mysql

- application/x-pkcs7-signature attachment: S/MIME Cryptographic Signature