

Re: Clamav replacement for FreeBSD+postfix?

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/isp/2007-02/msg00030.html>

- *From:* Duane Whitty <duane@xxxxxxxxx>
 - *Date:* Thu, 15 Feb 2007 14:48:44 -0400
-

On Thu, Feb 15, 2007 at 01:12:22PM -0500, Francisco Reyes wrote:

Oliver Brandmueller writes:

We're using clamav (clamd, together with exim) in our setup. Our setup consisting of currently four servers assigned to this task is processing around one million deliveries per day, around 3.5 million rejects in the

:~)

You get less spam than we do.

We also get around 4 Million emails per day, but only about 500K are accepted. (last I checked.. may be more volume now)

[...trimmed...]

Also we use it successfully with libthr instead of libpthreads (through libmap.conf).

What was the procedure for that? Any pointers to docs appreciated.

I am looking at /etc/libmap.conf, is it just an entry there?

Wouldn't that be global? So all programs in the machine will use libthr instead of libpthreads?

It can be configured so as not to be global
See libmap.conf(5)

I can share my /etc/libmap.conf file if you would like an example. It is non-ClamAv related but does illustrate how to configure using different libraries for different programs. I believe I basically using the /etc/libmap.conf as generously provided by the writer of the port for

Re: Clamav replacement for FreeBSD+postfix?

the linuxpluginwrapper.

[...trimmed...]

I suspect the issue is FreeBSD's thread support, so your suggested thread library change may help until we find a process based antivirus (if there is one that works well with FreeBSD).

There has been much discussion about making the libthr the default threading library.

--Duane

freebsd-isp@xxxxxxxxxxx mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-isp>

To unsubscribe, send any mail to "freebsd-isp-unsubscribe@xxxxxxxxxxx"