

Re: freebsd-performance Digest, Vol 4, Issue 7

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/performance/2003-06/0065.html>

From: Jin Guojun [DSD] (j_guojun_at_lbl.gov)

Date: 06/19/03

Date: Wed, 18 Jun 2003 16:09:58 -0700

To: Chuck Swiger <cswiger@mac.com>

Chuck Swiger wrote:

> -----BEGIN PGP SIGNED MESSAGE-----

> Hash: SHA1

>

> Jin Guojun [DSD] wrote:

> [...]

>> *But this seems to have different problem. At least write to RAID 1 requires*

>> *twice bus bandwidth for soft RAID 1. So, read should be faster than write.*

>> *But current read is 67 MB/s, write is 10 MB/s. Something is not working.*

>

> *What is the write performance to a bare hard drive?*

60 MB/s. Multiple writes (3 or 4 drives) are maximized at 147 MB/s.

> *I'd expect your write performance to be somewhat higher, true, but your drives*

> *read at 33 MB/s, and write at 15 MB/s, your write performance is nominal.*

If I got 30 MB/s on write, I would not complain at all.

-Jin

freebsd-performance@freebsd.org mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-performance>

To unsubscribe, send any mail to "freebsd-performance-unsubscribe@freebsd.org"