

## Re: Major problem with "No buffer space available" errors

**Source:** <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/performance/2003-07/0024.html>

---

**From:** Lukas Ertl ([l.ertl\\_at\\_univie.ac.at](mailto:l.ertl_at_univie.ac.at))

**Date:** 07/16/03

Date: Wed, 16 Jul 2003 16:51:34 +0200 (CEST)

To: James West <[jwest254@mail.com](mailto:jwest254@mail.com)>

On Wed, 16 Jul 2003, James West wrote:

> *Hmm, kinda made that all confusing sounding, what i mean is i'm having*  
> *the problem with MAXUSERS set to 0 and also when its set to 512.*

You didn't tell us how much memory that box has. MAXUSERS 512 is certainly a huge number.

FWIW, I'd suggest you'd go back to MAXUSERS 0 (the auto-tuning of FreeBSD is quiet ok) and have a look at the mbuf clusters. You can increase them at boot time if you see you haven't enough.

regards,

le

--

Lukas Ertl

UNIX-Systemadministrator

Zentraler Informatikdienst (ZID)

der Universität Wien

eMail: [l.ertl@univie.ac.at](mailto:l.ertl@univie.ac.at)

Tel.: (+43 1) 4277-14073

Fax.: (+43 1) 4277-9140

<http://mailbox.univie.ac.at/~le/>

---

freebsd-performance@freebsd.org mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-performance>

To unsubscribe, send any mail to "freebsd-performance-unsubscribe@freebsd.org"