

Re: loosing wireless connection...

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/questions/2003-11/3331.html>

From: Brett L. Brown (*brett-brown_at_earthlink.net*)

Date: 11/29/03

To: Alex de Kruijff <freebsd@akruijff.dds.nl>

Date: Sat, 29 Nov 2003 22:05:51 +0000

On Sunday 30 November 2003 01:30 am, you wrote:

> *On Sat, Nov 29, 2003 at 03:07:27PM +0000, Brett L. Brown wrote:*
> > *I'm running FreeBSD 5.1-RELEASE on a Dell Latitude c600. The laptop is*
> > *continuously powered on. When I close my laptop I lose my dhcp lease. I*
> > *would prefer the behavior of not ever loosing my dhcp lease when I close*
> > *my screen. If I can't have this what is a quick way to request another*
> > *lease without having to loose my login session or rebooting. Currently I*
> > *have to leave my screen open or if my wife closes it for me I have to*
> > *reboot. :(*
> >
> > *brett*
> >
> *That depend what you using for a DHCP server. If you use isc-dhcpd then*

I am using an SMC 8Port Barricade Router as a DHCP server. Is this ok?

I was wondering if my Wireless Access Point configuration settings might have something to do with this. I have powersavingmode=off but powersleepmode=100 is set and I'm wondering if this is the culprit. I havn't figured out how to reinitialize powersleepmode and I'm not sure if I should increase or decrease the setting.

> *you can configure it to bind an IP to your MAC address. I can't give you*
> *an example. I think one exist in in the manual. You could also just use*
> *a static IP as an alternative.*

freebsd-questions@freebsd.org mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-questions>

To unsubscribe, send any mail to "freebsd-questions-unsubscribe@freebsd.org"