

Re: buildworld fails after patch (FreeBSD-SA-06:23.openssl)

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/stable/2006-09/msg00986.html>

- *From:* Ruslan Ermilov <ru@xxxxxxxxxxxx>
 - *Date:* Fri, 29 Sep 2006 22:15:11 +0400
-

On Fri, Sep 29, 2006 at 06:01:14PM +0200, Christer Solskogen wrote:

On Fri, 29 Sep 2006 08:27:55 -0700
security <security@xxxxxxxxxxxx> wrote:

Christer Solskogen wrote:

On Fri, 29 Sep 2006 05:30:05 -0700
Colin Percival <cperciva@xxxxxxxxxxxx> wrote:

Do you mean using different mirrors? I'm using a supfile for that.

But if you mean building I used 'make buildkernel buildworld'

But doing a "make includes" did the trick. It compiles as it should now.

I though the order was always buildworld before buildkernel

You can choose what order you want. It will work either way.
For the record; a word of a patch for the patch was just in.

No, buildworld should generally be built before buildkernel because buildworld also builds (possibly new) a compiler and binutils that buildkernel will use.

Cheers,

--

Ruslan Ermilov
ru@xxxxxxxxxxxx

Re: buildworld fails after patch (FreeBSD-SA-06:23.openssl)

FreeBSD committer

Attachment: [pgp1HjmHo8vG1.pgp](#)

Description: PGP signature