

Re: Hard(?) lock when reassociating ath with wpa_supplicant on RELENG_7

Re: Hard(?) lock when reassociating ath with wpa_supplicant on RELENG_7

Source: <http://unix.derkeiler.com/Mailing-Lists/FreeBSD/stable/2008-08/msg00601.html>

- *From:* "Alexandre \"Sunny\" Kovalenko" <alex.kovalenko@xxxxxxxxxxx>
 - *Date:* Tue, 26 Aug 2008 21:10:40 -0400
-

On Sat, 2008-07-12 at 21:26 -0700, Sam Leffler wrote:

Alexandre "Sunny" Kovalenko wrote:

On Sat, 2008-07-12 at 09:57 -0700, Sam Leffler wrote:

Alexandre "Sunny" Kovalenko wrote:

On Fri, 2008-07-11 at 20:29 -0700, Sam Leffler wrote:

Alexandre "Sunny"
Kovalenko wrote:

On Fri,
2008-05-16
at 12:23
-0400, Sam
Leffler
wrote:

Alexandre
"Sunny"
Kovalenko
wrote:

On
Mon,

Re: Hard(?) lock when reassociating ath with wpa_supplicant on RELENG_7

Re: Hard(?) lock when reassociating ath with wpa_supplicant on RELENG_7

2008-05-12

at

19:33

-0700,

Sam

Leffler

wrote:

Alexandre

"Sunny"

Kovalenko

wrote:

I
seem
to
be
able
to
lock
my
machine
by
going
into
wpa_cli
and
asking
it
to
'reassoc'.
The
reason
for
question
mark
after
"hard"
is
that
debug
information
(caused
by
wlandebug
and
athdebug)

Re: Hard(?) lock when reassociating ath with wpa_supplicant on RELENG_7

is
being
printed
on
the
console.
The
only
way
to
get
machine's
attention
is
to
hold
power
button
for
8
seconds.

So
this
is
just
livelock
due
to
console
debug
msgs.