

[HPADM] dterm & cursor style "underline": howto ?

Source: <http://unix.derkeiler.com/Mailing-Lists/HP-UX-Admin/2003-04/0034.html>

From: Quy NGUYEN DAI (Quy.NguyenDai@gdtech.net)

Date: 04/15/03

Date: Tue, 15 Apr 2003 12:51:16 +0200
From: Quy NGUYEN DAI <Quy.NguyenDai@gdtech.net>
To: hpux-admin <hpux-admin@DutchWorks.nl>

Hi,

I would like to set cursor style to "Underline" in dterm. In the file .Xdefaults I added:

```
-----  
Dterm*charCursorStyle: underline  
-----
```

But when I run dterm, there is warning message:

Warning: Cannot convert string "underline" to type DtTermCharCursorStyle

and the cursor is always of style "box". In dterm's manpage, I see:

```
-----  
...  
charCursorStyle  
    This resource specifies the shape of the text cursor. A  
    char_cursor_box value specifies a cursor the width and  
    height of the base font's bounding box. A char_cursor_bar  
    value specifies a cursor the width of the base font's  
    bounding box, 2 pixels high, and drawn with its top on the  
    baseline.  
...  
-----
```

But I dont know how to change it. I'm working on HP-UX 11.0.
Could you give me some idea please.

Thank in advance,
Best regards,

--
Quy NGUYEN DAI
GDTech S.A.
Parc Scientifique du Sart-Tilman

HP-UX-Admin: [HPADM] dterm & cursor style "underline": howto ?

Spatiopôle - Rue des Chasseurs-Ardennais
B-4031 Angleur, BELGIQUE
Tel: +32-(0)4-367.87.11

--

---> Please post QUESTIONS and SUMMARIES only!! <---

To subscribe/unsubscribe to this list, contact majordomo@dutchworks.nl
Name: hpux-admin@dutchworks.nl Owner: owner-hpux-admin@dutchworks.nl

Archives: [ftp.dutchworks.nl:/pub/digests/hpux-admin](ftp://ftp.dutchworks.nl/pub/digests/hpux-admin) (FTP, browse only)
<http://www.dutchworks.nl/htbin/hpsysadmin> (Web, browse & search)