

Tru64 to Mac via X11

Source: <http://unix.derkeiler.com/Mailing-Lists/Tru64-UNIX-Managers/2005-03/0018.html>

From: Derek Gatherer (*d.gatherer_at_vir.gla.ac.uk*)

Date: 03/07/05

Date: Mon, 07 Mar 2005 15:19:56 +0000

To: tru64-unix-managers@ornl.gov

Hi Managers

I have users running X11 applications from the Tru64 server on a variety of Macs and PCs. All are logging in using either ssh (on the Macs) or rexec via Hummingbird (on the PCs). Now on one Mac (a fairly new OS X imac) they have stopped working. Several different users all have the same problem when using that machine, so I don't think the problem is with the user profiles. The error message is:

```
Xlib: connection to "<my Mac>:0.0" refused by server
```

```
Xlib: No protocol specified
```

```
java.lang.InternalError: Can't connect to X11 window server using '<my Mac>:0' as the value of the DISPLAY variable.
```

When I try xhost, I get virtually the same error:

```
Xlib: connection to "<my mac>:0.0" refused by server
```

```
Xlib: No protocol specified
```

```
/usr/bin/X11/xhost: unable to open display "<my mac>:0.0"
```

From the env, I get

```
XLIB=-IX11
```

```
XMLIB=-IXm
```

```
XTLIBS=-IXt -IX11
```

```
DISPLAY=<my mac>:0
```

so I can't see anything wrong....

Any suggestions gratefully received.

Cheers

Derek

Derek Gatherer Ph.D. Cert.Ed.
Computer Officer
Institute of Virology
Church Street
Glasgow G11 5JR

Tel: 0141–330–6268
Fax: 0141–337–2236